



Life Science Laboratories, Inc.

1/26/17

**Harold VanHorn
Southern Cayuga Central School
2384 Rt. 34B
Aurora, NY 13026**

Phone: (315) 277-0037

Laboratory Analysis Report

Prepared For

Southern Cayuga Central School

LSL Project ID: 1701264

Receive Date/Time: 01/26/17 12:30

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Tel. (315) 445-1900
Fax (315) 445-1104
NYS DOH ELAP #10248
PA DEP #68-2556

LSL North Lab
131 St. Lawrence Avenue
Waddington, NY 13694
Tel. (315) 388-4476
Fax (315) 388-4061
NYS DOH ELAP #10900

LSL Finger Lakes Lab
16 N. Main St., PO Box 424
Wayland, NY 14572
Tel. (585) 728-3320
Fax (585) 728-2711
NYS DOH ELAP #11667

LSL Southern Tier Office
Cuba, NY
Tel. (585) 209-4032

LSL MidLakes Office
Canandaigua, NY
Tel. (585) 728-3320

Reviewed by:


LaDonna Kibler, Quality Assurance

Date:

2/9/17

A copy of this report was sent to:

Page 1 of 2

Date Printed:

2/8/17

-- LABORATORY ANALYSIS REPORT --

Southern Cayuga Central School Aurora, NY

Sample ID: Lead Study LSL Sample ID: 1701264-001

Location:

Sampled: 01/26/17 5:12 Sampled By: HV

Sample Matrix: PW

| Analytical Method | Prep Method | Prep | Analysis | Analyst |
|-------------------|----------------|------|-------------|----------|
| Analyte | Result Units | Date | Date & Time | Initials |

(1) Lead Study

Number of Samples

5

MT

Please refer to the chain of custody form on the last page of this report for the detailed descriptions of where these samples were taken.

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab

rptC001

Life Science Laboratories, Inc.

Page 2 of 2

Date Printed: 2/8/17

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Project:** 1701264-Southern Cayuga Central School**Location:****Matrix:** PW**Client Sample ID:** *Girls HS Bath Sink #3* ✓**Lab ID:** K1701279-001A**Collection Date:** 01/26/17 5:12**Date Received:** 01/26/17 12:30

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.0086 | mg/L | 02/02/17 16:41 |

Qualifiers: * Value may exceed the Acceptable Level
E Value exceeds the instrument calibration range
J Analyte detected below the PQL
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Practical Quantitation Limit (PQL)
S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1701264-Southern Cayuga Central School
Location:
Matrix: PW

Client Sample ID: *EH Girls Bath Sink #2*

Lab ID: K1701279-002A
Collection Date: 01/26/17 5:16
Date Received: 01/26/17 12:30

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.0041 | mg/L | 02/02/17 16:45 |

Qualifiers: * Value may exceed the Acceptable Level
E Value exceeds the instrument calibration range
J Analyte detected below the PQL
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Practical Quantitation Limit (PQL)
S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Client Sample ID:** E 520**Project:** 1701264-Southern Cayuga Central School**Location:****Lab ID:** K1701279-003A**Matrix:** PW**Collection Date:** 01/26/17 5:27**Date Received:** 01/26/17 12:30

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.010 | mg/L | 02/02/17 16:48 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.
5854 Butternut Drive
East Syracuse , NY 13057 (315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1701264-Southern Cayuga Central School
Location:
Matrix: PW

Client Sample ID: *EH Kitchen*

Lab ID: K1701279-004A
Collection Date: 01/26/17 5:34
Date Received: 01/26/17 12:30

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | < 0.0010 | mg/L | 02/02/17 16:52 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Client Sample ID:** *EH Girls Locker Room #2* ✓**Project:** 1701264-Southern Cayuga Central School**Location:****Lab ID:** K1701279-005A**Matrix:** PW**Collection Date:** 01/26/17 5:37**Date Received:** 01/26/17 12:30

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.0013 | mg/L | 02/02/17 16:56 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

Life Science Laboratories, Inc.

Sample Receipt Checklist

LSL LIMS

Project ID 1701264

Client ID: Invoiced_Government

Shipment Number 1

SRC Completed By: RSD2

Date: 1/26/2017 12:36:54 PM

| COC Date/Time | Received By | Carrier | ShippingID |
|---|--------------------|--|-------------------|
| 1/26/2017 12:30:00 PM | RSD2 | Hand Delivered | |
| Shipping container/cooler in good condition? | Yes | Sample containers intact? | Yes |
| Custody seal intact on shipping container/cooler? | N/A | Sufficient sample volume for indicated test? | Yes |
| Custody seals intact on sample bottles? | N/A | All samples received within holding time? | Yes |
| Chain of Custody present? | Yes | Container/Temp Blank temperature in compliance? | Yes |
| COC signed when relinquished and received? | Yes | Water - VOA vials have zero headspace? | N/A |
| COC agrees with sample labels? | Yes | Water - pH acceptable upon receipt? | N/A |
| Samples in proper containers/bottles? | Yes | Water - HNO3 added to unpreserved metal sample(s) to a pH of <2? | Yes |

Comments:

Corrective Action:

Reviewed By:

SK, 2/9/17

Printed: Thursday, January 26, 2017

Page 1 of 1



Life Science Laboratories, Inc.

Date Printed:

12/13/16

Laboratory Analysis Report Prepared For Southern Cayuga School

LSL Project ID: 1619832

Harold Van Horn
Southern Cayuga School
2384 Rt 34B
Aurora, NY 13026 USA

Phone:

(315) 364-7111

A copy of this report was sent to:

Sample ID: Lead Study

LSL Sample ID: 1619832-001

Location:

Receive Date/Time: 10/28/16 13:27

Sampled: 10/28/16 6:10

Project Rec'd by: RSD2

Sampled By: HV

Matrix: PW

| Analytical Method | Prep Method | Prep | Analysis | Analyst |
|-------------------|--------------|------|-------------|----------|
| Analyte | Result Units | Date | Date & Time | Initials |

(1) Lead Study

Number of Samples

12

MT

Please refer to the chain of custody form on the last page of this report for the detailed descriptions of where these samples were taken.

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Tel. (315) 445-1900
Fax (315) 445-1104
NYS DOH ELAP #10248
PA DEP #68-2556

LSL North Lab
131 St. Lawrence Avenue
Waddington, NY 13694
Tel. (315) 388-4476
Fax (315) 388-4061
NYS DOH ELAP #10900

LSL Finger Lakes Lab
16 N. Main St., PO Box 424
Wayland, NY 14572
Tel. (585) 728-3320
Fax (585) 728-2711
NYS DOH ELAP #11667

LSL Southern Tier Office
Cuba, NY
Tel. (585) 209-4032

LSL MidLakes Office
Canandaigua, NY
Tel. (585) 728-3320

Reviewed by:

LaDonna Kibler
LaDonna Kibler, Quality Assurance

Date:

12/14/16

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1619832-Southern Cayuga School
Location:
Matrix: PW

Client Sample ID: SCS-1HS Drinking Fountain
(gym)**Lab ID:** K1612035-001A**Collection Date:** 10/28/16 6:10**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | < 0.0010 | mg/L | 12/05/16 15:45 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.
5854 Butternut Drive
East Syracuse, NY 13057 (315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1619832-Southern Cayuga School
Location:
Matrix: PW

Client Sample ID: SCS-2

Lab ID: K1612035-002A
Collection Date: 10/28/16 6:11
Date Received: 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | < 0.0010 | mg/L | 12/05/16 15:49 |

Qualifiers: * Value may exceed the Acceptable Level
E Value exceeds the instrument calibration range
J Analyte detected below the PQL
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Practical Quantitation Limit (PQL)
S Spike Recovery outside accepted recovery limits



Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS

Client Sample ID: SCS-3

Project: 1619832-Southern Cayuga School

Location:

Lab ID: K1612035-003A

Matrix: PW

Collection Date: 10/28/16 6:12

Date Received: 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | < 0.0010 | mg/L | 12/05/16 15:53 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Client Sample ID:** SCS-4**Project:** 1619832-Southern Cayuga School**Location:****Lab ID:** K1612035-004A**Matrix:** PW**Collection Date:** 10/28/16 6:13**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | < 0.0010 | mg/L | 12/05/16 15:57 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1619832-Southern Cayuga School
Location:
Matrix: PW

Client Sample ID: SCS-5 HS Nurse office

Lab ID: K1612035-005A
Collection Date: 10/28/16 6:16
Date Received: 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.012 | mg/L | 12/05/16 16:00 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1619832-Southern Cayuga School
Location:
Matrix: PW

Client Sample ID: SCS-6HS Girls Bathroom
Sint #3**Lab ID:** K1612035-006A**Collection Date:** 10/28/16 6:20**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.062 * | mg/L | 12/05/16 16:04 |

Qualifiers: * Value may exceed the Acceptable Level
E Value exceeds the instrument calibration range
J Analyte detected below the PQL
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Practical Quantitation Limit (PQL)
S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Project:** 1619832-Southern Cayuga School**Location:****Matrix:** PW**Client Sample ID:** SCS-7 *EH Girls Bathroom Sink #2***Lab ID:** K1612035-007A**Collection Date:** 10/28/16 6:23**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.028 * | mg/L | 12/05/16 16:08 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057 (315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Client Sample ID:** SCS-8

AS. Nurse Sink

Project: 1619832-Southern Cayuga School**Location:****Lab ID:** K1612035-008A**Matrix:** PW**Collection Date:** 10/28/16 6:25**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.012 | mg/L | 12/05/16 16:19 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Project:** 1619832-Southern Cayuga School**Location:****Matrix:** PW**Client Sample ID:** SCS-9 ES Music Room**Lab ID:** K1612035-009A**Collection Date:** 10/28/16 6:28**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.046 * | mg/L | 12/05/16 16:23 |

Qualifiers: * Value may exceed the Acceptable Level
E Value exceeds the instrument calibration range
J Analyte detected below the PQL
P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Practical Quantitation Limit (PQL)
S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS
Project: 1619832-Southern Cayuga School
Location:
Matrix: PW

Client Sample ID: SCS-10 EG, Girls Locker Room #2

Lab ID: K1612035-010A
Collection Date: 10/28/16 6:32
Date Received: 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.032 * | mg/L | 12/05/16 16:27 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS

Project: 1619832-Southern Cayuga School

Location:

Matrix: PW

Client Sample ID: SCS-11 E3 Kettle fill

Lab ID: K1612035-011A

Collection Date: 10/28/16 6:36

Date Received: 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|-----------------|-----------------------|-----------|----------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.014 | mg/L | 12/05/16 16:30 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

**Life Science Laboratories, Inc.**

5854 Butternut Drive

East Syracuse, NY 13057

(315) 445-1900

Analytical Results

State Certification No: 10248

CLIENT: Life Science Labs-LIMS**Client Sample ID:** SCS-12**Project:** 1619832-Southern Cayuga School**Location:****Lab ID:** K1612035-012A**Matrix:** PW**Collection Date:** 10/28/16 6:37**Date Received:** 10/28/16 13:27

| Analyte | Result and Qualifiers | Units | Date Analyzed |
|------------------------|-----------------------|------------------|--------------------|
| METALS BY ICPMS | | EPA 200.8 | (EPA 200.2) |
| Lead | 0.045 * | mg/L | 12/05/16 16:34 |

Qualifiers:

- * Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits

Life Science Laboratories, Inc.

Sample Receipt Checklist

LSL LIMS

Project ID

1619832

Client ID: Invoiced_Government

Shipment Number 1

SRC Completed By: RSD2

Date: 12/2/2016 11:31:56 AM

COC Date/Time

10/28/2016 1:27:00 PM

Received By

gis1

Carrier

Hand Delivered

ShippingID

Shipping container/cooler in good condition?

Yes

Sample containers intact?

Yes

Custody seal intact on shipping container/cooler?

N/A

Sufficient sample volume for indicated test?

Yes

Custody seals intact on sample bottles?

N/A

All samples received within holding time?

Yes

Chain of Custody present?

Yes

Container/Temp Blank temperature in compliance?

Yes

COC signed when relinquished and received?

Yes

Water - VOA vials have zero headspace?

N/A

COC agrees with sample labels?

Yes

Water - pH acceptable upon receipt?

N/A

Samples in proper containers/bottles?

Yes

Water - HNO3 added to unpreserved metal sample(s) to a pH of <2?

Yes

Comments:

Corrective Action:

Reviewed By:

OK, 12/14/16

Printed: Friday, December 02, 2016

Page 1 of 1



Life Science Laboratories, Inc.

5854 Butternut Drive
East Syracuse, NY 13057

Chain of Custody Record

Phone # (315) 445-1900

Telefax # (315) 445-1104

Contact Person:

LSL Project #:

Invoked Government

200

Client: Southorn Cayuga School Phone # 315 364 7111
Address: 2384 Rt 34B Fax #
Aurora, NY 13026

Harold
Van Horn

Client's Site I.D.:

Client's Project I.D.:

| LSL Sample Number | Client's Sample Identifications | Sample Date | Sample Time | Type | Matrix | Preserv. Added | Containers | Analyses | Free Cl (mg/L) | Pres. Check |
|-------------------|---------------------------------|-------------|-------------|------|--------|----------------|------------|----------|----------------|-------------|
| 11 SCS-001 | Drinking Fountain | 10-28-02 | 6:10 | grab | PW | HNO3* | 1 | 250 ml | Lead | 22 |
| 12 002 | Drinking Fountain | 10-28-02 | 6:11 | X | | | 1 | | | |
| 14 003 | HS Cafeteria Drink. Font. | 10-28-02 | 6:12 | X | | | 1 | | | |
| 17 004 | HS Cafeteria Drink. Font. | 10-28-02 | 6:13 | X | | | 1 | | | |
| 24 005 | HS Nurse Off. | 10-28-02 | 6:16 | X | | | 1 | | | |
| 32 006 | HS Girls Bathroom #3 | 10-28-02 | 6:20 | X | | | 1 | | | |
| 51 007 | EA " " #2 | 10-28-02 | 6:25 | X | | | 1 | | | |
| 58 008 | " Nurse Shop | 10-28-02 | 6:25 | X | | | 1 | | | |
| 48 009 | EA 520 | 10-28-02 | 6:28 | X | | | 1 | | | |
| 77 010 | EA Girls Locker #2 | 10-28-02 | 6:32 | X | | | 1 | | | |
| 80 011 | EA Kitchen Kitchen #1 | 10-28-02 | 6:32 | X | | | 1 | | | |
| 81 012 | EA Kitchen Food Prep | 10-28-02 | 6:37 | X | | | 1 | | | |
| | | | | X | | | 1 | | | |
| | | | | X | | | 1 | | | |

Notes and Hazard Identifications:

Custody Transfers

Sampled and Relinquished By: Harold G. Van Horn

Signature: [Signature]

Date: 10-28-02 Time: 13:20

* Samples Preserved
Upon Receipt at Lab

Relinquished By: Harold G. Van Horn

Received By:

Relinquished By:

Received for Lab By:

[Signature]

Date: 10-28-02 Time: 18:22

Shipment Method:

Samples Received Intact: Y N 17.02

